INT. J. PROD. RES., 2002, VOL. 40, NO. 18, 4871–4887

Taylor & Francis
Taylor & Francis Group

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abbaszadeh-Mir, Y., Mayer, J. R. R., Cloutier, G., and Fortin, C.: Theory and simulation for the identification of the link geometric errors for a five-axis machine tool using a telescoping magnetic ball-bar 4781
Abdallah, I. B., Elmaraghy, H. A., and Elmekkawy, T.: Deadlock-free scheduling in flexible manufacturing systems using Petri nets 2733
Abdul-Kader, W., and Gharbi, A.: Capacity estimation of a multi-product unreliable production line 4815
Adeleye, E. O., *see* Yusuf, Y. Y.
Aghezzaf, E.-H., and Van Landeghem, H.: An integrated model for inventory and production planning in a two-stage hybrid production system 4323
Aiello, G., Enea, M., and Galante, G.: An integrated approach to the facilities and material handling system design 4007
Al-Hakim, L.: A note on 'Maximally weighted graph theoretic facilities design planning' 495
Alam, M. R., Lee, K. S., Rahman, M., and Sankaran, K. S.: Decision algorithm for selection of high-speed machining, EDM or a combination for the manufacture of injection moulds 845
Albin, S. L., *see* Xu, D.
Alfieri, A., Brandimarte, P., and D'Orazio, S.: LP-based heuristics for the capacitated lot-sizing problem: the interaction of model formulation and solution algorithm 441
Allada, V., *see* Rai, R.
Altinel, İ. K., *see* Ünal, A. T.
Amine Lehtihet, E., *see* Pandya, G.
Anand, S., *see* Sun, A. Y. T.
Antoniadis, A., *see* Bilalis, N.
Antony, J., *see* Lu, D.
Appleton, E., *see* Wu, Y.
Arai, E., *see* Narita, H.
Archimède, B., *see* Coudert, T.
Arimitsu, H., *see* Nakashima, K.
Artiba, A., *see* Riane, F.
Ashayeri, J., Heuts, R. M., Valkenburg, M. W. T., Veraart, H. C., and Wilhelm, M. R.: A geometrical approach to computing expected cycle times for zone-based storage layouts in AS/RS 4467
Au, K. F., *see* Ho, D. C. K.
Ayag, Z.: An analytic-hierarchy-process based simulation model for implementation and analysis of computer-aided systems 3053

Babayan, A., *see* He, D.
Baek, D. H., and Yoon, W. C.: Co-evolutionary genetic algorithm for multi-machine scheduling: coping with high performance variability 239
Baek, J.-G., Kim, C.-O., and Kim, S. S.: Online learning of the cause-and-effect knowledge of a manufacturing process 3275
Bagshaw, R. W., *see* Rahimifard, S.
Bai, X., Davis, J. S., Kanet, J. J., Cantrell, S., and Patterson, J. W.: Schedule instability, service level and cost in a material requirements planning system 1725
Baines, T. S., and Kay, J. M.: Human performance modelling as an aid in the process of manufacturing system design: a pilot study 2321
Bajgoric, N., *see* Ünal, A. T.
Balaji, A. K., *see* Wang, X.

Barbosa-Póvoa, A. P., Mateus, R., and Novais, A. Q.: Optimal 3D layout of industrial facilities 1669
Barnette, K. W., *see* Fathi, Y.
Baxendale, S. J., *see* Gupta, M. C.
Baykasoğlu, A.: Linguistic-based meta-heuristic optimization model for flexible job shop scheduling 4523
Baykasoğlu, A., and Dereli, T.: Novel algorithmic approach to generate the 'number of passes' and 'depth of cuts' for the optimization routines of multipass machining 1549
Baynat, B., Buzacott, J. A., and Dallery, Y.: Multiproduct Kanban-like Control Systems 4225
Bedia, L. M. A., *see* Martinez, F. M.
Bell, R., *see* Rahimifard, S.
Ben-Arieh, D., and Pollatscheck, M. A.: Analysis of information flow in hierarchical organizations 3561
Benders, J.: Origin of Period Batch Control (PBC) 1
Bennett, S., *see* Riddalls, C. E.
Benz, M., *see* Pfeifer, T.
Berman, S., and Edan, Y.: Decentralized autonomous AGV system for material handling 3995
Bhoja, S., *see* Ellis, K. P.
Bidanda, B., *see* Norman, B. A.
Bilalis, N., Scroubelos, G., Antoniadis, A., Emiris, D., and Koulouriotis, D.: Visual factory: basic principles and the 'zoning' approach 3575
Björklund, S., Bjurstam, P., and Novak, A.: Compensation of systematic errors in five-axis high-speed machining 3765
Bjurstam, P., *see* Björklund, S.
Błażewicz, J., Pawlak, G., and Walter, B.: Scheduling production tasks in a two-stage FMS 4341
Bos, V., and Kleijn, J. J. T.: Formal specification and analysis of production systems 3879
Bowland, N. W., *see* Gao, J. X.
Boyd, L. H., and Cox, J. F., III: Optimal decision making using cost accounting information 1879
Bradley, C., *see* Xu, X. J.
Brandimarte, P., *see* Alfieri, A.
Braun, O., Lai, T.-C., Schmidt, G., and Sotskov, Y. N.: Stability of Johnson's schedule with respect to limited machine availability 4381
Britton, G. A., *see* Deng, Y.-M.
Britton, G. A., *see* Tor, S. B.
Brox, J. A., and Fader, C.: The set of just-in-time management strategies: an assessment of their impact on plant-level productivity and input-factor substitutability using variable cost function estimates 2705
Bueno, J. M., *see* Dobado, D. 3955
Bullinger, H.-J., Kühner, M., and van Hoof, A.: Analysing supply chain performance using a balanced measurement method 3533
Bullinger, H.-J., and Menrad, W.: Changes in remuneration practice in production: success factors of sustainable remuneration systems for innovative concepts of work organization 3955
Burke, R. J., *see* Haberle, K. R.
Buzacott, J. A., *see* Baynat, B.
Buzacott, J. A., *see* Kahyaoglu, Y.

Cai, D. Q., *see* Xie, M.
Cakravastia, A., and Nakamura, N.: Model for negotiating the price and due date for a single order with multiple suppliers in a make-to-order environment . . . 3425
Calantone, R. L., *see* Melnyk, S. A.
Cantrell, S., *see* Bai, X.
Caramihai, S. I., *see* Stanescu, A. M.

Cardew-Hall, M. J., *see* De Ruyter, A. S.
Carey, E. J., and Gallwey, T. J.: Evaluation of human postures with computer aids and virtual workplace designs 825
Carlyle, W. M., *see* Heredia-Langner, A.
Carot, T., *see* Carot, V.
Carot, V., Jabaloyes, J. M., and Carot, T.: Combined double sampling and variable sampling interval $\bar{X}$ chart 2175
Castillo, I., and Peters, B. A.: Unit load and material-handling considerations in facility layout design 2955
Cavalier, T. M., Lehtihet, E. A., Del Castillo, E., and McGarvey, R. G.: An adaptive sphere-fitting method for sequential tolerance control 2757
Cavalier, T. M., *see* Pandya, G.
Challis, D., Samson, D., and Lawson, B.: Integrated manufacturing, employee and business performance: Australian and New Zealand evidence 1941
Chan, F. T. S., *see* Zhang, J.
Chan, L. Y., Lin, D. K. J., Xie, M., and Goh, T. N.: Cumulative probability control charts for geometric and exponential process characteristics 133
Chandra, J., Lin, J. J., and Talavage, J. J.: Optimization-based parts–machines matching in flexible manufacturing systems 763
Chandra, M. J., *see* Kharoufeh, J. P.
Chang, D.-Y., *see* Lin, Z.-C.
Chang, S.-C., Lin, N.-P., and Sheu, C.: Aligning manufacturing flexibility with environmental uncertainty: evidence from high-technology component manufacturers in Taiwan 4765
Chang, T.-C., *see* Hong, Y. S.
Chen, D. F., *see* Luo, Y. B.
Chen, F. L., *see* Liu, S. F.
Chen, H.-N., *see* Cochran, J. K.
Chen, M.-C., and Yang, T.: Design of manufacturing systems by a hybrid approach with neural network metamodelling and stochastic local search 71
Chen, S. H., *see* Lee, H. T.
Chen, Y.-L., *see* Wang, T.-Y.
Chhajed, D., *see* Kim, K.
Childerhouse, P., and Towill, D. R.: Analysis of the factors affecting real-world value stream performance 3499
Chinnam, R. B.: Support vector machines for recognizing shifts in correlated and other manufacturing processes 4449
Chircor, M., *see* Stanescu, A. M.
Cho, B. R., and Govindaluri, M. S.: Optimal screening limits in multi-stage assemblies 1993
Cho, B. R., *see* Teeravaraprug, J.
Cho, J. H., Cho, M. W., and Kim, M. K.: Computer-aided design, manufacturing and inspection system integration for optical lens production 4271
Cho, M. W., and Seo, T. I.: Machining error compensation using radial basis function network based on CAD/CAM/CAI integration concept 2159
Cho, M. W., *see* Cho, J. H.
Cho, S., Lee, K., and Kim, T.-W.: Development of a geometry-based process planning system for surface micromachining 1275
Cho, S., *see* Gougar, H.
Choi, S., *see* Moon, I.
Chowdhury, M. R., *see* Sarker, B. R.
Chryssolouris, G., Fassois, S., and Vasileiou, E.: Data sampling technique (DST) for measuring surface waving 165
Claridge, G. S., *see* Corbett, L. M.
Cloutier, G., *see* Abbaszadeh-Mir, Y.
Cochran, J. K., and Chen, H.-N.: Generating daily production plans for complex manufacturing facilities using multi-objective genetic algorithms 4147
Cochran, J. K., *see* Fowler, J. W.
Coelho, D. A., *see* Matias, J. C. D. O.

Collaine, A., Lutz, P., and Lesage, J.-J.: A method for assessing the impact of product development on the company 3311
Colosimo, B. M., Poggi, A., and Tolio, T.: The tooling system configuration in a new manufacturing system architecture 3779
Connolly, F., and Sheahan, C.: Development of an automated process planning and production activity control system for the manufacturing of engineered work surfaces 3725
Corbett, L. M., and Claridge, G. S.: Key manufacturing capability elements and business performance 109
Córdova, F. M., *see* Quezada, L. E.
Costa, A. F. B., *see* De Magalhães, M. S.
Coudert, T., Grabot, B., and Archimède, B.: Production/maintenance cooperative scheduling using multi-agents and fuzzy logic 4611
Cox, J. F., III, *see* Boyd, L. H.
Cuesta, E., *see* Rico, J. C.
Curaj, A., *see* Stanescu, A. M.

D'Orazio, S., *see* Alfieri, A.
Da, Z. J., *see* Wang, X.
Dai, J. S., *see* Xu, H.-Y.
Dallery, Y., *see* Baynat, B.
Damodaran, P., and Melouk, S.: Comparison of push and pull systems with transporters: a metamodelling approach. 2923
Dang, C., *see* Hui, I. K.
Dang, T.-T., and Frankovic, B.: Agent-based scheduling in production systems . . 3669
Das, S. K., and Naik, S.: Process planning for product disassembly 1335
Das, T. K., *see* Pontrandolfo, P.
Davis, J. S., *see* Bai, X.
De Lit, P., *see* Rekiek, B.
de Looze, M., *see* van Lingen, P.
De Magalhães, M. S., Costa, A. F. B., and Epprecht, E. K.: Constrained optimization model for the design of an adaptive $\bar{X}$ chart 3199
De Ruyter, A. S., Cardew-Hall, M. J., and Hodgson, P. D.: Estimating quality costs in an automotive stamping plant through the use of simulation. 3835
De Toni, A., and Tonchia, S.: New production models: a strategic view 4721
Dekkers, R.: Strategic capacity management: meeting technological demands and performance criteria 3895
Del Castillo, E., *see* Cavalier, T. M.
Delchambre, A., *see* Rekiek, B.
Deng, Y.-M., Britton, G. A., Lam, Y. C., Tor, S. B., and Ma, Y. S.: Feature-based CAD-CAE integration model for injection-moulded product design 3737
Deng, Y.-M., *see* Tor, S. B.
Dereli, T., *see* Baykasoğlu, A.
Dewan, P., and Joshi, S.: Auction-based distributed scheduling in a dynamic job shop environment 1173
Dickens, P., *see* Harris, R.
Ding, J., *see* Ong, S. K.
Disney, S. M., and Towill, D. R.: A discrete transfer function model to determine the dynamic stability of a vendor managed inventory supply chain 179
Dobado, D., Lozano, S., Bueno, J. M., and Larrañeta, J.: Cell formation using a Fuzzy Min–Max neural network 93
Dolgui, A., and Vernadat, F.: Guest Editorial: Modelling, planning and scheduling of manufacturing systems 4307
Dolgui, A., *see* Ould-Louly, M. A.
Draman, M., *see* Ünal, A. T.
Du, R., *see* Li, X.
Duhovnik, J., *see* Kos, L.

Dumitrache, I., *see* Stanescu, A. M.
Dutta, S. P., *see* Paulo, J.

Edan, Y., *see* Berman, S.
Elkott, D. F., Elmaraghy, H. A., and Elmaraghy, W. H.: Automatic sampling for CMM inspection planning of free-form surfaces 2653
Ellis, K. P., and Bhoja, S.: Optimization of the assignment of circuit cards to assembly lines in electronics assembly 2609
Elmaghraby, S. E., *see* Riane, F.
Elmaraghy, H. A., *see* Abdallah, I. B.
Elmaraghy, H. A., *see* Elkott, D. F.
Elmaraghy, W. H., *see* Elkott, D. F.
Elmekkawy, T., *see* Abdallah, I. B.
Elsayed, E. A., *see* Gültekin, M.
Emiris, D., *see* Bilalis, N.
Enea, M., *see* Aiello, G.
Engelhardt, F., *see* Häcker, J.
Enginarlar, E., Li, J., Meerkov, S. M., and Zhang, R. Q.: Buffer capacity for accommodating machine downtime in serial production lines 601
English, J. R., *see* Gültekin, M.
Epprecht, E. K., *see* De Magalhães, M. S.
Erenay, O., Hashemipour, M., and Kayaligil, S.: Virtual reality in requirement analysis for CIM system development suitable for SMEs 3693

Fader, C., *see* Brox, J. A.
Fallah, H., and Shayan, E.: Integrated Material Planning and Operations Scheduling (IMPOS) 4285
Fan, S.-K. S., Jiang, B. C., Jen, C.-H., and Wang, C.-C.: SISO run-to-run feedback controller using triple EWMA smoothing for semiconductor manufacturing processes 3093
Fang, L., *see* Tang, L.
Fanti, M. P.: Event-based controller to avoid deadlock and collisions in zone-control AGVS 1453
Fassois, S., *see* Chryssolouris, G.
Fathi, Y., and Barnette, K. W.: Heuristic procedures for the parallel machine problem with tool switches 151
Felices, J. N., *see* Monies, F.
Feng, C.-X. (J.), and Pandey, V.: Experimental study of the effect of digitizing parameters on digitizing uncertainty with a CMM 683
Flanagan, J. T., *see* Robertson, P. W.
Fortin, C., *see* Abbaszadeh-Mir, Y.
Fowler, J. W., Phojanamongkolkij, N., Cochran, J. K., and Montgomery, D. C.: Optimal batching in a wafer fabrication facility using a multiproduct G/G/c model with batch processing 275
Franceschini, F., and Galetto, M.: Asymptotic defectiveness of manufacturing plants: an estimate based on process learning curves 537
Frankovic, B., *see* Dang, T.-T.
Frey, D. D., *see* Häcker, J.
Fung, R. Y. K., Jiang, Z., Zuo, M. J., and Tu, P. Y. L.: Adaptive production scheduling of virtual production systems using object-oriented Petri nets with changeable structure 1759
Fung, R. Y. K., Tang, J., Tu, Y., and Wang, D.: Product design resources optimization using a non-linear fuzzy quality function deployment model 585

Galante, G., *see* Aiello, G.
Galetto, M., *see* Franceschini, F.
Gallwey, T. J., *see* Carey, E. J.

Gao, J. X., Bowland, N. W., and Sharma, R.: A product-configuration-driven system for assembly planning within a product data management environment . . . 2041
Gattiker, T. F., and Goodhue, D. L.: Software-driven changes to business processes: an empirical study of impacts of Enterprise Resource Planning (ERP) systems at the local level 4799
Gerişkovan, A. İ., *see* Ünal, A. T.
Gharbi, A., *see* Abdul-Kader, W.
Gibson, P. R., *see* Robertson, P. W.
Goh, T. N., *see* Chan, L. Y.
Goh, T. N., *see* Xie, M.
Gong, Q., *see* Zhao X.
Goodhue, D. L., *see* Gattiker, T. F.
Gosavi, A., *see* Pontrandolfo, P.
Gougar, H., Cho, S., and Prabhu, V.: High performance loading robot design for a tool-delivery system 3401
Govindaluri, M. S., *see* Cho, B. R.
Goyal, S. K., *see* Viswanathan, S.
Grabot, B., *see* Coudert, T.
Graves, R. J., *see* Haberle, K. R.
Grigoryan, A., *see* He, D.
Grosfeld-Nir, A., and Magazine, M.: Gated MaxWIP: a strategy for controlling multistage production systems 2557
Guan, Q., Liu, J. H., and Zhong, Y. F.: A concurrent hierarchical evolution approach to assembly process planning 3357
Gültekin, M., Elsayed, E. A., English, J. R., and Hauksdóttir, A. S.: Monitoring automatically controlled processes using statistical control charts 2303
Gültekin, M., English, J. R., and Elsayed, E. A.: Cross-correlation and $\bar{X}$-trend control charts for processes with linear shift 1051
Gunasekaran, A., and Kobu, B.: Modelling and analysis of business process reengineering 2521
Gunasekaran, A., and Yusuf, Y. Y.: Agile manufacturing: a taxonomy of strategic and technological imperatives. 1357
Güngör, A., and Gupta, S. M.: Disassembly line in product recovery 2569
Gupta, M., Ko, H.-J., and Min, H.: TOC-based performance measures and five focusing steps in a job-shop manufacturing environment 907
Gupta, M. C., Baxendale, S. J., and Raju, P. S.: Integrating ABM/TOC approaches for performance improvement: a framework and application. 3225
Gupta, S. M., *see* Güngör, A.
Gürel, A., *see* Mireles, J., Jr

Ha, S., *see* Hwang, I.
Haberle, K. R., Burke, R. J., and Graves, R. J.: Cycle time estimation models for printed circuit board design 1017
Häcker, J., Engelhardt, F., and Frey, D. D.: Robust manufacturing inspection and classification with machine vision 1319
Hague, R., *see* Harris, R.
Hallikas, J., Virolainen, V.-M., and Tuominen, M.: Understanding risk and uncertainty in supplier networks—a transaction cost approach 3519
Harris, R., Hopkinson, N., Newlyn, H., Hague, R., and Dickens, P.: Layer thickness and draft angle selection for stereolithography injection mould tooling . . . 719
Hashemipour, M., *see* Erenay, O.
Hauksdóttir, A. S., *see* Gültekin, M.
He, D., and Babayan, A.: Scheduling manufacturing systems for delayed product differentiation in agile manufacturing 2461
He, D., Grigoryan, A., and Sigh, M.: Design of double- and triple-sampling X-bar control charts using genetic algorithms 1387
He, L., *see* Hui, I. K.
Hendry, L., *see* Muda, S.

Heredia-Langner, A., Montgomery, D. C., and Carlyle, W. M.: Solving a multistage partial inspection problem using genetic algorithms 1923
Herranz, S., *see* López De Lacalle, L. N.
Heuts, R. M., *see* Ashayeri, J.
Ho, C.-J.: Evaluating dampening effects of alternative lot-sizing rules to reduce MRP system nervousness 2633
Ho, D. C. K., Au, K. F., and Newton, E.: Empirical research on supply chain management: a critical review and recommendations 4415
Hodgson, P. D., *see* De Ruyter, A. S.
Hollier, R. H., Mak, K. L., and Lai, K. K.: Computing optimal (s, S) policies for inventory systems with a cut-off transaction size and the option of joint replenishment 3375
Holthaus, O., and Rajendran, C.: A study on the performance of scheduling rules in buffer-constrained dynamic flowshops 3041
Hong, W.-P., *see* Yang, M.-Y.
Hong, Y. S., and Chang, T.-C.: A comprehensive review of tolerancing research . . 2425
Hong, Y. S., and Chang, T.-C.: Tolerancing algebra: a building block for handling tolerance interactions in design and manufacturing—Part 1: Concept and representation 4633
Hopkinson, N., *see* Harris, R.
Hsu, C.-C., *see* Wang, M.-J. J.
Hsu, W.-J., *see* Qiu, L.
Huang, C.-T., *see* Huang, Y. M.
Huang, H.-K., and Lin, G. C. I.: Development of a dual-robot system for prototype production 3751
Huang, S.-Y., *see* Qiu, L.
Huang, Y. M., and Huang, C.-T.: Disassembly matrix for disassembly processes of products 255
Hui, I. K., He, L., and Dang, C.: Environmental impact assessment in an uncertain environment 375
Hwang, H., *see* Song, C.-Y.
Hwang, I., Lee, H., and Ha, S.: Hybrid neuro-fuzzy approach to the generation of measuring points for knowledge-based inspection planning 2507

Ip, R. W. L., *see* Zhang, J.
Ishikawa, Y., *see* Tsubone, H.
Ito, T., *see* Yamashina, H.

Jabaloyes, J. M., *see* Carot, V.
Jawahir, I. S., *see* Wang, X.
Jen, C.-H., *see* Fan, S.-K. S.
Jeong, H., *see* Lee, K.
Ji, P., and Xue, J.: Extending the algebraic method to identify dimensional chains for angular tolerance charting 1597
Jiang, B. C., *see* Fan, S.-K. S.
Jiang, Z., *see* Fung, R. Y. K.
Johnson, D. J.: A spreadsheet method for calculating work completion time probability distributions of paced or linked assembly lines 1131
Jolayemi, J. K.: Statistical design of np-charts with multiple control regions . . . 2591
Jones, M. H., *see* Koh, S. C. L.
Joshi, S., *see* Dewan, P.

Kacker, R., and Zhang, N. F.: Online control using integrated moving average model for manufacturing errors 4131
Kahyaoglu, Y., and Kayaligil, S.: Conceptualizing manufacturing flexibility: an operational approach and a comparative evaluation 2187
Kahyaoglu, Y., Kayaligil, S., and Buzacott, J. A.: Flexibility analysis: a methodology and a case study 4111

Kameshwaran, S., *see* Rai, R.
Kanet, J. J., *see* Bai, X.
Kang, H. Y., *see* Lee, H. T.
Kao, H.-P., Su, E., and Wang, B.: I²QFD: a blackboard-based multiagent system for supporting concurrent engineering projects 1235
Karsak, E. E.: Distance-based fuzzy MCDM approach for evaluating flexible manufacturing system alternatives 3167
Kaspi, M., Kesselman, U., and Tanchoco, J. M. A.: Optimal solution for the flow path design problem of a balanced unidirectional AGV system. 389
Kawada, H., *see* Yamashina, H.
Kay, J. M., *see* Baines, T. S.
Kayaligil, S., *see* Erenay, O.
Kayaligil, S., *see* Kahyaoglu, Y.
Keats, J. B., *see* Kwon, Y. I.
Kesselman, U., *see* Kaspi, M.
Ketzenberg, M. E., *see* Souza, G. C.
Kharoufeh, J. P., and Chandra, M. J.: Statistical tolerance analysis for non-normal or correlated normal component characteristics 337
Khouja, M., and Kumar, R. L.: Information technology investments and volume-flexibility in production systems 205
Kihlberg, S., *see* Neumann, W. P.
Kim, C.-O., *see* Baek, J.-G.
Kim, D., Rhee, S., and Park, H.: Modelling and optimization of a GMA welding process by genetic algorithm and response surface methodology 1699
Kim, K., Chhajed, D., and Palekar, U. S.: A comparative study of the performance of push and pull systems in the presence of emergency orders 1627
Kim, K. H., *see* Lim, J. K.
Kim, K.-Y., Norman, B. A., and Nnaji, B. O.: Heuristics for single-pass welding task sequencing 2769
Kim, M. K., *see* Cho, J. H.
Kim, S. S., *see* Baek, J.-G.
Kim, S. W., and Narasimhan, R.: Information system utilization in supply chain integration efforts 4585
Kim, T.-W., *see* Cho, S.
Kirchner, S., and März, L.: Towards self-adaptive production systems: modular generic simulation models for continuous replanning and reconfiguration . . 3627
Kitaoka, M., *see* Kurihara, K.
Kleijn, J. J. T., *see* Bos, V.
Ko, H.-J., *see* Gupta, M.
Kobu, B., *see* Gunasekaran, A.
Koh, S. C. L., and Saad, S. M.: Development of a business model for diagnosing uncertainty in ERP environments 3015
Koh, S. C. L., Saad, S. M., and Jones, M. H.: Uncertainty under MRP-planned manufacture: review and categorization 2399
Koningsveld, E., *see* van Lingen, P.
Kos, L., and Duhovnik, J.: Cutting optimization with variable-sized stock and inventory status data 2289
Kotlarski, J., *see* Sinriech, D.
Kouikoglou, V. S.: An efficient discrete event model of assembly/disassembly production networks 4485
Koulouriotis, D., *see* Bilalis, N.
Krause, D. R., *see* Pagell, M.
Kubo, T., *see* Yamashina, H.
Kühner, M., *see* Bullinger, H.-J.
Kumar, R. L., *see* Khouja, M.
Kumar, S., *see* Tiwari, M. K.
Kumar, U., *see* Kumar, V.

Kumar, V., Maheshwari, B., and Kumar, U.: Enterprise resource planning systems adoption process: a survey of Canadian organizations 509
Kurihara, K., Takigawa, S., Nishiuchi, N., and Kitaoka, M.: Factory automation control software designing method based on Petri nets. 3605
Kuriyama, S., *see* Nakashima, K.
Kuroda, M., Shin, H., and Zinnohara, A.: Robust scheduling in an advanced planning and scheduling environment. 3655
Kwak, B. M., *see* Seo, H. S.
Kwon, Y. I., and Keats, J. B.: Bayesian burn-in procedures for limited failure populations 2547

Labib, A. W., *see* Sudiarso, A.
Lagarrigue, P., *see* Monies, F.
Lai, F., *see* Zhao, X.
Lai, K. K., *see* Hollier, R. H.
Lai, K. K., *see* Zhang, G. Q.
Lai, T.-C., *see* Braun, O.
Lam, Y. C., *see* Deng, Y.-M.
Lamikiz, A., *see* López De Lacalle, L. N.
Larrañeta, J., *see* Dobado, D.
Lashkari, R. S., *see* Paulo, J.
Lau, H. C. W., *see* Zhang, J.
Lawley, M. A.: Control of deadlock and blocking for production systems with unreliable workstations 4563
Lawson, B., *see* Challis, D.
Lee, H., *see* Hwang, I.
Lee, H. T., Chen, S. H., and Kang, H. Y.: Multicriteria scheduling using fuzzy theory and tabu search 1221
Lee, J. N., *see* Lee, R. S.
Lee, K., Jeong, H., Park, C., and Park, J.: Development of a decision-support system for the formulation of manufacturing strategy 3913
Lee, K., *see* Cho, S.
Lee, K. S., *see* Alam, M. R.
Lee, R. S., and Lee, J. N.: New method of tool orientation determination by enveloping element for five-axis machining of spatial cam. 2379
Lehtihet, E. A., *see* Cavalier, T. M.
Lejmi, T., and Sabuncuoglu, I.: Effect of load, processing time and due date variation on the effectiveness of scheduling rules 945
Lesage, J.-J., *see* Collaine, A.
Leskinen, T., *see* van Lingen, P.
Lewis, F. L., *see* Mireles, J., Jr
Li, J., *see* Enginarlar, E.
Li, M.-L., and Parkin, R. E.: Expansion of group technology to handle logical operations. 4169
Li, P., *see* Zhang, J.
Li, W. D., Ong, S. K., and Nee, A. Y. C.: Hybrid genetic algorithm and simulated annealing approach for the optimization of process plans for prismatic parts 1899
Li, X., and Du, R.: Analysis and compensation of workpiece errors in turning . . 1647
Liang, M., *see* Zolfaghari, S.
Liang, S.-R., *see* Lin, A. C.
Lim, J. K., Lim, J. M., Yoshimoto, K., Kim, K. H., and Takahashi, T.: A construction algorithm for designing guide paths of automated guided vehicle systems . . 3981
Lim, J. M., *see* Lim, J. K.
Lim, J.-S., *see* Zhang, Q.
Limam, M., *see* Taleb, H.
Lin, A. C., and Liang, S.-R.: Rapid prototyping through scanned point data . . . 293
Lin, D. K. J., *see* Chan, L. Y.
Lin, G. C. I., *see* Huang, H.-K.

Lin, J. J., *see* Chandra, J.
Lin, N.-P., *see* Chang, S.-C.
Lin, Z.-C., and Chang, D.-Y.: Cost–tolerance analysis model based on a neural networks method 1429
Liu, J., *see* Tang, L.
Liu, J. H., *see* Guan, Q.
Liu, J. J.-X., and Strong, D. R.: Machining fixture verification for linear fixture systems 3441
Liu, S. F., Chen, F. L., and Lu, W. B.: Wafer bin map recognition using a neural network approach 2207
Liu, Y., *see* Williams, N. P.
Loh, H. T., *see* Xu, X. J.
López De Lacalle, L. N., Lamikiz, A., Salgado, M. A., Herranz, S., and Rivero, A.: Process planning for reliable high-speed machining of moulds 2789
Lozano, S., *see* Dobado, D.
Lu, D., and Antony, J.: Optimization of multiple responses using a fuzzy-rule based inference system 1613
Lu, W. B., *see* Liu, S. F.
Luh, P. B., *see* Tang, L.
Luis Pérez, C. J.: Analysis of the surface roughness and dimensional accuracy capability of fused deposition modelling processes 2865
Luis Pérez, C. J.: Surface roughness modelling considering uncertainty in measurements 2245
Luo, Y. B., Ong, S. K., Chen, D. F., and Nee, A. Y. C.: An Internet-enabled image- and model-based virtual machining system 2269
Lutz, P., *see* Collaine, A.

Ma, J., and Matsui, M.: Performance evaluation of a flexible machining/assembly system and routing comparisons 1713
Ma, Y. S., *see* Deng, Y.-M.
Magazine, M., *see* Grosfeld-Nir, A.
Mahesh, O., and Srinivasan, G.: Incremental cell formation considering alternative machines 3291
Maheshwari, B., *see* Kumar, V.
Mahmoodi, F., *see* Mosier, C. T.
Mak, K. L., *see* Hollier, R. H.
Malmborg, C. J.: Conceptualizing tools for autonomous vehicle storage and retrieval systems 1807
Mani, V., and Omkar, S. N.: Understanding weld modelling processes using a combination of trained neural networks 547
Marik, V., *see* Pechoucek, M.
Marinescu, I. D., Ramirez-Salas, J., and Noreyan, A. A.: New millennium frontiers on precision engineering 3807
Martínez, F. M., and Bedia, L. M. A.: Modular simulation tool for modelling JIT manufacturing 1529
März, L., *see* Kirchner, S.
Mateos, S., *see* Rico, J. C.
Mateus, R., *see* Barbosa-Póvoa, A. P.
Mathiassen, S. E., *see* Neumann, W. P.
Matias, J. C. D. O., and Coelho, D. A.: The integration of the standards systems of quality management, environmental management and occupational health and safety management 3857
Matsui, M., *see* Ma, J.
Mayer, J. R. R., *see* Abbaszadeh-Mir, Y.
McGarvey, R. G., *see* Cavalier, T. M.
Medbo, P., *see* Neumann, W. P.
Meerkov, S. M., *see* Enginarlar, E.
Melnyk, S. A., *see* Vastag, G.

Melnyk, S. A., Sroufe, R. P., Calantone, R. L., and Montabon, F. L.: Assessing the effectiveness of US voluntary environmental programmes: an empirical study 1853
Melouk, S., *see* Damodaran, P.
Menrad, W., *see* Bullinger, H.-J.
Min, H., *see* Gupta, M.
Mireles, J., Jr, Lewis, F. L., and Gürel, A.: Deadlock avoidance for manufacturing multipart re-entrant flow lines using a matrix-based discrete event controller 3139
Missbauer, H.: Aggregate order release planning for time-varying demand 699
Molleman, E., *see* Slomp, J.
Monies, F., Felices, J. N., Rubio, W., Redonnet, J.-M., and Lagarrigue, P.: Five-axis NC milling of ruled surfaces: optimal geometry of a conical tool 2901
Montabon, F. L., *see* Melnyk, S. A.
Montgomery, D. C., *see* Fowler, J. W.
Montgomery, D. C., *see* Heredia-Langner, A.
Montgomery, D. C., *see* Somerville, S. E.
Moon, I., Silver, E. A., and Choi, S.: Hybrid genetic algorithm for the economic lot-scheduling problem. 809
Mosier, C. T., and Mahmoodi, F.: Work sequencing in a manufacturing cell with limited labour constraints 2883
Muda, S., and Hendry, L.: Proposing a world-class manufacturing concept for the make-to-order sector 353
Mukhopadhyay, S. K., *see* Tiwari, M. K.
Muñoz, L. F., and Villalobos, J. R.: Work allocation strategies for serial assembly lines under high labour turnover 1835

Nahm, A. Y., and Vonderembse, M. A.: Theory development: an industrial/post-industrial perspective on manufacturing. 2067
Naik, S., *see* Das, S. K.
Nakamura, N., *see* Cakravastia, A.
Nakashima, K., Arimitsu, H., Nose, T., and Kuriyama, S.: Analysis of a product recovery system 3849
Nakayama, H., *see* Nakayama, S.
Nakayama, K., *see* Nakayama, S.
Nakayama, S., Nakayama, K., and Nakayama, H.: A study on setting standard time using work achievement quotient 3945
Narasimhan, R., *see* Kim, S. W.
Narita, H., Shirase, K., Wakamatsu, H., Tsumaya, A., and Arai, E.: Real-time cutting simulation system of a milling operation for autonomous and intelligent machine tools 3791
Nee, A. Y. C., *see* Li, W. D.
Nee, A. Y. C., *see* Luo, Y. B.
Nee, A. Y. C., *see* Ong, S. K.
Needy, K. L., *see* Norman, B. A.
Neumann, W. P., Kihlberg, S., Medbo, P., Mathiassen, S. E., and Winkel, J.: A case study evaluating the ergonomic and productivity impacts of partial automation strategies in the electronics industry 4059
Newlyn, H., *see* Harris, R.
Newman, S. T., *see* Rahimifard, S.
Newton, E., *see* Ho, D. C. K.
Nishiuchi, N., *see* Kurihara, K.
Nnaji, B. O., *see* Kim, K.-Y.
Nof, S. Y., *see* Williams, N. P.
Noreyan, A. A., *see* Marinescu, I. D.
Norman, B. A., *see* Kim, K.-Y.
Norman, B. A., Tharmmaphornphilas, W., Needy, K. L., Bidanda, B., and Warner, R. C.: Worker assignment in cellular manufacturing considering technical and human skills 1479
Nose, T., *see* Nakashima, K.

Novais, A. Q., *see* Barbosa-Póvoa, A. P.
Novak, A., *see* Björklund, S.

O'Brien, C.: Global manufacturing and the sustainable economy 3867
Okogbaa, O. G., *see* Pontrandolfo, P.
Olhager, J., and Rudberg, M.: Linking manufacturing strategy decisions on process choice with manufacturing planning and control systems 2335
Omkar, S. N., *see* Mani, V.
Ong, S. K., *see* Li, W. D.
Ong, S. K., *see* Luo, Y. B.
Ong, S. K., Ding, J., and Nee, A. Y. C.: Hybrid GA and SA dynamic set-up planning optimization 4697
Ould-Louly, M. A., and Dolgui, A.: Generalized newsboy model to compute the optimal planned lead times in assembly systems 4401

Pacciarelli, D.: Alternative graph formulation for solving complex factory-scheduling problems 3641
Pagell, M., and Krause, D. R.: Strategic consensus in the internal supply chain: exploring the manufacturing–purchasing link 3075
Palekar, U. S., *see* Kim, K.
Palominos, P., *see* Quezada, L. E.
Pan, J. C.-H., and Yang, J.-S.: A study of an integrated inventory with controllable lead time 1263
Pande, S. S., *see* Patil, L.
Pandey, V., *see* Feng, C.-X. (J.)
Pandya, G., Amine Lehtihet, E., and Cavalier, T. M.: Tolerance design of datum systems. 783
Park, C., *see* Lee, K.
Park, H., *see* Kim, D.
Park, J., *see* Lee, K.
Parkin, R. E., *see* Li, M.-L.
Patil, L., and Pande, S. S.: An intelligent feature-based process planning system for prismatic parts 4431
Patterson, J. W., *see* Bai, X.
Paulo, J., Lashkari, R. S., and Dutta, S. P.: Operation allocation and materials-handling system selection in a flexible manufacturing system: a sequential modelling approach 7
Pawlak, G., *see* Błażewicz, J.
Pechoucek, M., Riha, A., Vokrinek, J., Marik, V., and Prazma, V.: ExPlanTech: applying multi-agent systems in production planning 3681
Peters, B. A., *see* Castillo, I.
Pfeifer, T., and Benz, M.: Ultrasonic on-machine measurement for internal topographies 3821
Phojanamongkolkij, N., *see* Fowler, J. W.
Poggi, A., *see* Colosimo, B. M.
Pollatscheck, M. A., *see* Ben-Arieh, D.
Pontrandolfo, P., Gosavi, A., Okogbaa, O. G., and Das, T. K.: Global supply chain management: a reinforcement learning approach. 1299
Prabhu, V., *see* Gougar, H.
Prazma, V., *see* Pechoucek, M.

Qiao, H.: Attractive regions formed by the environment in configuration space: the possibility of achieving high precision sensorless manipulation in production . 975
Qiu, L., Hsu, W.-J., Huang, S.-Y., and Wang, H.: Scheduling and routing algorithms for AGVs: a survey 745
Quezada, L. E., Córdova, F. M., Palominos, P., and Ramírez, W.: A rapid tool for strategic internal analysis of manufacturing firms 3931

Rahimifard, S., Bagshaw, R. W., Newman, S. T., and Bell, R.: IT tools to improve the performance of metalworking SMEs 3589
Rahman, M., *see* Alam, M. R.
Rai, R., Kameshwaran, S., and Tiwari, M. K.: Machine-tool selection and operation allocation in FMS: solving a fuzzy goal-programming model using a genetic algorithm 641
Rai, R., Rai, V., Tiwari, M. K., and Allada, V.: Disassembly sequence generation: a Petri net based heuristic approach. 3183
Rai, R., *see* Tiwari, M. K.
Rai, V., *see* Rai, R.
Rajendran, C., *see* Holthaus, O.
Rajesh, G., *see* Veeravalli, B.
Raju, P. S., *see* Gupta, M. C.
Ramakrishna Rao, P. K., *see* Srinivasa Pai, P.
Ramirez, W., *see* Quezada, L. E.
Ramirez-Salas, J., *see* Marinescu, I. D.
Redonnet, J.-M., *see* Monies, F.
Rekiek, B., De Lit, P., and Delchambre, A.: Hybrid assembly line design and user's preferences 1095
Rhee, S., *see* Kim, D.
Riane, F., Artiba, A., and Elmaghraby, S. E.: Sequencing a hybrid two-stage flowshop with dedicated machines 4353
Rico, J. C., Valiño, G., Mateos, S., Cuesta, E., and Suárez, C. M.: Accessibility analysis for star probes in automatic inspection of rotational parts 1493
Riddalls, C. E., and Bennett, S.: The stability of supply chains 459
Riha, A., *see* Pechoucek, M.
Rivero, A., *see* López De Lacalle, L. N.
Robertson, P. W., Gibson, P. R., and Flanagan, J. T.: Strategic supply chain development by integration of key global logistical process linkages 4021
Rohleder, T. R., and Silver, E. A.: Statistical process control subject to a labour resource constraint 3337
Rong, A., *see* Tang, L.
Roy, D., *see* Tiwari, M. K.
Rubio, W., *see* Monies, F.
Rudberg, M., *see* Olhager, J.
Runger, G. C., *see* Somerville, S. E.

Saad, S. M., *see* Koh, S. C. L.
Sabuncuoglu, I., and Touhami, S.: Simulation metamodelling with neural networks: an experimental investigation 2483
Sabuncuoglu, I., *see* Lejmi, T.
Salgado, M. A., *see* López De Lacalle, L. N.
Samaranayak, P., *see* Zhang, J.
Samson, D., *see* Challis, D.
Sankaran, K. S., *see* Alam, M. R.
Sarker, B. R., *see* Wang, S.
Sarker, B. R., and Chowdhury, M. R.: Response to technical note on 'Manufacturing batch size and ordering policy for products with shelf lives' 1971
Sarkis, J., *see* Talluri, S.
Sawik, T.: Balancing and scheduling of surface mount technology lines 1973
Schmidt, G., *see* Braun, O.
Scroubelos, G., *see* Bilalis, N.
Seo, H. S., and Kwak, B. M.: Efficient statistical tolerance analysis for general distributions using three-point information. 931
Seo, T. I., *see* Cho, M. W.
Shankar, R., *see* Soleymanpour, M.
Sharma, R., *see* Gao, J. X.
Shayan, E., *see* Fallah, H.

Sheahan, C., *see* Connolly, F.
Sheu, C., *see* Chang, S.-C.
Shiau, Y.-R.: Inspection resource assignment in a multistage manufacturing system with an inspection error model 1787
Shin, H., *see* Kuroda, M.
Shirase, K., *see* Narita, H.
Sigh, M., *see* He, D.
Silver, E. A., *see* Moon, I.
Silver, E. A., *see* Rohleder, T. R.
Simaria, A. S., *see* Vilarinho, P. M.
Singh, S. P., and Tiwari, M. K.: Intelligent agent framework to determine the optimal conflict-free path for an automated guided vehicles system 4195
Sinha, N., *see* Tiwari, M. K.
Sinriech, D., and Kotlarski, J.: A dynamic scheduling algorithm for a multiple-load multiple-carrier system 1065
Slomp, J., and Molleman, E.: Cross-training policies and team performance . . . 1193
Soleymanpour, M., Vrat, P., and Shankar, R.: A transiently chaotic neural network approach to the design of cellular manufacturing 2225
Somerville, S. E., Montgomery, D. C., and Runger, G. C.: Filtering and smoothing methods for mixed particle count distributions 2991
Song, C.-Y., and Hwang, H.: Optimal tooling policy for a tool switching problem of a flexible machine with automatic tool transporter 873
Sotskov, Y. N., *see* Braun, O.
Souza, G. C., and Ketzenberg, M. E.: Two-stage make-to-order remanufacturing with service-level constraints 477
Srinivasa Pai, P., and Ramakrishna Rao, P. K.: Acoustic emission analysis for tool wear monitoring in face milling 1081
Srinivasan, G., *see* Mahesh, O.
Sroufe, R. P., *see* Melnyk, S. A.
Stanescu, A. M., Dumitrache, I., Curaj, A., Caramihai, S. I., and Chircor, M.: Supervisory control and data acquisition for virtual enterprise 3545
Strong, D. R., *see* Liu, J. J.-X.
Su, E., *see* Kao, H.-P.
Suárez, C. M., *see* Rico, J. C.
Sudiarso, A., and Labib, A. W.: A fuzzy logic approach to an integrated maintenance/production scheduling algorithm 3121
Sun, A. Y. T., Anand, S., and Tang, J. S. Y.: Comprehensive design of experiments-based framework for optimal CMM inspection and uncertainty analysis of form tolerances 2097
Sun, S.: Assessing computer numerical control machines using data envelopment analysis 2011
Swamidass, P. M., and Winch, G. W.: Exploratory study of the adoption of manufacturing technology innovations in the USA and the UK 2677

Takahashi, T., *see* Lim, J. K.
Takigawa, S., *see* Kurihara, K.
Talavage, J. J., *see* Chandra, J.
Taleb, H., and Limam, M.: On fuzzy and probabilistic control charts 2849
Talluri, S.: Single price system model for optimal decisions in capital equipment purchasing 1003
Talluri, S., and Sarkis, J.: A methodology for monitoring system performance . . . 1567
Talluri, S., and Sarkis, J.: A model for performance monitoring of suppliers . . . 4257
Tam, H.-Y., *see* Xu, H.-Y.
Tan, Q., *see* Yang, Z.
Tanchoco, J. M. A., *see* Kaspi, M.
Tang, J., *see* Fung, R. Y. K.
Tang, J. S. Y., *see* Sun, A. Y. T.

Tang, L., Liu, J., Rong, A., and Yang, Z.: Modelling and a genetic algorithm solution for the slab stack shuffling problem when implementing steel rolling schedules 1583
Tang, L., Luh, P. B., Liu, J., and Fang, L.: Steel-making process scheduling using Lagrangian relaxation 55
Teeravaraprug, J., and Cho, B. R.: Designing the optimal process target levels for multiple quality characteristics.. 37
Tharmmaphornphilas, W., *see* Norman, B. A.
Tiwari, M. K., *see* Rai, R.
Tiwari, M. K., *see* Singh, S. P.
Tiwari, M. K., and Roy, D.: Application of an evolutionary fuzzy system for the estimation of workforce deployment and cross-training in an assembly environment 4651
Tiwari, M. K., Sinha, N., Kumar, S., Rai, R., and Mukhopadhyay, S. K.: A Petri Net based approach to determine the disassembly strategy of a product 1113
Tolio, T., *see* Colosimo, B. M.
Tonchia, S., *see* De Toni, A.
Tor, S. B., *see* Deng, Y.-M.
Tor, S. B., Britton, G. A., Zhang, W. Y., and Deng, Y.-M.: Guiding functional design of mechanical products through rule-based causal behavioural reasoning . . 667
Touhami, S., *see* Sabuncuoglu, I.
Towill, D. R., *see* Childerhouse, P.
Towill, D. R., *see* Disney, S. M.
Tsubone, H., Ishikawa, Y., and Yamamoto, H.: Production planning system for a combination of make-to-stock and make-to-order products 4835
Tsui, K. L., *see* Xie, M.
Tsumaya, A., *see* Narita, H.
Tu, P. Y. L., *see* Fung, R. Y. K.
Tu, Y., *see* Fung, R. Y. K.
Tuinzaad, G., *see* van Lingen, P.
Tuominen, M., *see* Hallikas, J.

Ünal, A. T., Draman, M., Altinel, İ. K., Bajgoric, N., and Gerişkovan, A. İ.: Clone-based modelling for optimal production planning in process industries . . . 4041

Valiño, G., *see* Rico, J. C.
Valkenburg, M. W. T., *see* Ashayeri, J.
Van Der Zee, D. J.: Adaptive scheduling of batch servers in flow shops 2811
van Hoof, A., *see* Bullinger, H.-J.
Van Landeghem, H., *see* Aghezzaf, E.-H.
van Lingen, P., van Rhijn, G., de Looze, M., Vink, P., Koningsveld, E., Tuinzaad, G., and Leskinen, T.: ERGOtool for the integral improvement of ergonomics and process flow in assembly 3973
van Rhijn, G., *see* van Lingen, P.
Vasileiou, E., *see* Chryssolouris, G.
Vastag, G., and Melnyk, S. A.: Certifying environmental management systems by the ISO 14001 standards 4743
Veeravalli, B., Rajesh, G., and Viswanadham, N.: Design and analysis of optimal material distribution policies in flexible manufacturing systems using a single AGV 2937
Veraart, H. C., *see* Ashayeri, J.
Vernadat, F.: UEML: towards a unified enterprise modelling language 4309
Vernadat, F., *see* Dolgui, A.
Vilarinho, P. M., and Simaria, A. S.: A two-stage heuristic method for balancing mixed-model assembly lines with parallel workstations. 1405
Villa, A.: The Norman Dudley Paper: Emerging trends in large-scale supply chain management 3487
Villalobos, J. R., *see* Muñoz, L. F.
Vink, P., *see* van Lingen, P.

Virolainen, V.-M., *see* Hallikas, J.
Viswanadham, N., *see* Veeravalli, B.
Viswanathan, S., and Goyal, S. K.: Technical note on 'Manufacturing batch size and ordering policy for products with shelf lives' 1965
Vokrinek, J., *see* Pechoucek, M.
Vonderembse, M. A., *see* Nahm, A. Y.
Vonderembse, M. A., *see* Zhang, Q.
Vrat, P., *see* Soleymanpour, M.

Wakamatsu, H., *see* Narita, H.
Walter, B., *see* Błażewicz, J.
Wang, B., *see* Kao, H.-P.
Wang, C.-C., *see* Fan, S.-K. S.
Wang, D., *see* Fung, R. Y. K.
Wang, H., *see* Qiu, L.
Wang, J., *see* Zhao X.
Wang, L., *see* Yang, Z.
Wang, M.-J. J., Wu, W.-Y., and Hsu, C.-C.: Automated post bonding inspection by using machine vision techniques 2835
Wang, S., and Sarker, B. R.: Locating cells with bottleneck machines in cellular manufacturing systems. 403
Wang, T.-Y., and Chen, Y.-L.: Applying the network flow model to evaluate an FMC's throughput. 525
Wang, X., Da, Z. J., Balaji, A. K., and Jawahir, I. S.: Performance-based optimal selection of cutting conditions and cutting tools in multipass turning operations using genetic algorithms 2053
Warner, R. C., *see* Norman, B. A.
Wiese, H., and Zelewski, S.: Waste disposal and waste avoidance 3391
Wilhelm, M. R., *see* Ashayeri, J.
Williams, N. P., Liu, Y., and Nof, S. Y.: TestLAN approach and protocols for the integration of distributed assembly and test networks 4505
Winch, G. W., *see* Swamidass, P. M.
Winkel, J., *see* Neumann, W. P.
Wong, Y. S., *see* Xu, X. J.
Wu, N., and Zeng, W.: Deadlock avoidance in an automated guidance vehicle system using a coloured Petri net model 223
Wu, W.-Y., *see* Wang, M.-J. J.
Wu, Y., and Appleton, E.: Integrated design of the block layout and aisle structure by simulated annealing 2353
Wu, Z., *see* Yang, H.

Xie, J., *see* Zhao, X.
Xie, M., *see* Chan, L. Y.
Xie, M., Tsui, K. L., Goh, T. N., and Cai, D. Q.: Process capability indices for a regularly adjusted process 2367
Xu, D., and Albin, S. L.: Manufacturing start-up problem solved by mixed-integer quadratic programming and multivariate statistical modelling 625
Xu, H.-Y., and Dai, J. S.: Bi-parameter curve interpolation 1823
Xu, H.-Y., Dai, J. S., and Tam, H.-Y.: Angular interpolations for planar implicit curves 2125
Xu, X. J., Bradley, C., Zhang, Y. F., Loh, H. T., and Wong, Y. S.: Tool-path generation for five-axis machining of free-form surfaces based on accessibility analysis 3253
Xue, J., *see* Ji, P.
Xue, J., *see* Zhang, G. Q.

Yamamoto, H., *see* Tsubone, H.
Yamashina, H., Ito, T., and Kawada, H.: Innovative product development process by integrating QFD and TRIZ 1031

Yamashina, H., and Kubo, T.: Manufacturing cost deployment 4077
Yang, H., and Wu, Z.: GA-based integrated approach to FMS part type selection and machine-loading problem 4093
Yang, J.-H., *see* Yang, M.-S.
Yang, J.-S., *see* Pan, J. C.-H.
Yang, M.-S., and Yang, J.-H.: A fuzzy-soft learning vector quantization for control chart pattern recognition 2721
Yang, M.-Y., and Hong, W.-P.: Three-dimensional reference pulse linear and circular interpolators for CNC systems 425
Yang, T., *see* Chen, M.-C.
Yang, Z., *see* Tang, L.
Yang, Z., Tan, Q., and Wang, L.: Principle of precision micro-drilling with axial vibration of low frequency 1421
Yasuda, K., *see* Yin, Y.
Yeh, C.-H.: Ball grid array (BGA) substrate conduct paths inspection using two-dimensional wavelet transform 4675
Yin, Y., and Yasuda, K.: Manufacturing cells' design in consideration of various production factors 885
Yoon, W. C., *see* Baek, D. H.
Yoshimoto, K., *see* Lim, J. K.
Young, S., *see* Zhao, X.
Yusuf, Y. Y., *see* Gunasekaran, A.
Yusuf, Y. Y., and Adeleye, E. O.: A comparative study of lean and agile manufacturing with a related survey of current practices in the UK 4545

Zelewski, S., *see* Wiese, H.
Zeng, W., *see* Wu, N.
Zhang, G. Q., Xue, J., and Lai, K. K.: A class of genetic algorithms for multiple-level warehouse layout problems 731
Zhang, J., Chan, F. T. S., Li, P., Lau, H. C. W., Ip, R. W. L., and Samaranayak, P.: Investigation of the reconfigurable control system for an agile manufacturing cell 3709
Zhang, N. F., *see* Kacker, R.
Zhang, Q., Vonderembse, M. A., and Lim, J.-S.: Value chain flexibility: a dichotomy of competence and capability 561
Zhang, R. Q., *see* Enginarlar, E.
Zhang, W. Y., *see* Tor, S. B.
Zhang, Y. F., *see* Xu, X. J.
Zhao X., Gong, Q., and Wang, J.: On control strategies in a multi-stage production system 1155
Zhao, X., Lai, F., and Young, S.: A study of Manufacturing Resources Planning (MRPII) implementation in China 3461
Zhao, X., and Xie, J.: Forecasting errors and the value of information sharing in a supply chain 311
Zhong, Y. F., *see* Guan, Q.
Zinnohara, A., *see* Kuroda, M.
Zolfaghari, S., and Liang, M.: Comparative study of simulated annealing, genetic algorithms and tabu search for solving binary and comprehensive machine-grouping problems 2141
Zuo, M. J., *see* Fung, R. Y. K.